

Dammar varnish for artists painting

Revision Date 10.01.2024

Version 1.0 EU / EN

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

## 1.1 Product identifier

Trade name :	Dammar varnish for artists painting
CAS-No : EC-No :	Not applicable. Not applicable. Not applicable. Not applicable (the substance is a mixture).

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use	of	the	Substance/	Mix-	:	Artists colors.
ture						

### 1.3 Details of the supplier of the safety data sheet

<u>Company</u>	Joint-Stock Company «Artistic paints plant «Nevskaya p 68 Serdobolskaya str., Saint-Petersburg, Russia, 197342	
<u>Telephone</u>	+7 (812) 337-11-43	
E-mail address	secretar@zxknp.spb.ru	
Only representative	Not applicable.	
<u>Telephone</u>	Not applicable.	
E-mail address	Not applicable.	

## **1.4 Emergency telephone number**

Austria: Poison Control Centre, Tel.: (+43)-1-406-43-43; Belgium: Belgisch Antigifcentrum, Tel.: 070/245-245; Bulgaria: Многопрофилна болница за активно лечение и спешна медицина "Н.И.Пирогов", Tel.: (+359)-2-9154-409; Croatia: Poison Control Centre, Tel: (+385)-1-23-48-342; Czech Republic: Toxikologické informační středisko Telefon: (+420)-224-919-293, (+420)-224-915-402; Denmark: Poison Control Hotline, Tel.: (+45)-82-12-12; Estonia: National emergency telephone number: 112 or Poison information telephone number: 16662, calling from abroad: (+372)-626-93-90; Finland: Poison Information Centre, Tel.: (09)-471-977 (direct) or (09)-4711; France: ORFILA (INRS): (+33)-(0)-1-45-42-59-59; Hungary: Az Egészségügyi Toxikológiai Tájékoztató Szolgálat elérhetőségei Tel: (+36)-80-201-199; Latvia: Valsts Toksikoloģijas centra Saindēšanās un zāļu informācijas centrs, Tel.: (+371)-67042473; Lithuania: Sveikatos apsaugos ministerijos ekstremalių sveikatai situacijų centras, Tel.: (+370)-5-236-20-52 or (+370)-687-53378; Malta: Mater Dei Hospital, Tel: 2545-0000; Portugal: Centro de Informação Antivenenos (Portuguese Poison Centre), Tel: 808-250-143; Romania: Biroul RSI Si Informare Toxicologica, Tel.: 021-318-36-06 (direct) (8.00 - 15.00);



	ulation (EC) No 1272/2008
mmar varnish for arti	Revision Date 10.01.2024 Version 1.0 EU / EN
•	I Toxicological Information Centre (+421)-2-5477-4166;
(+420)-224-915-402;	
<b>Sweden:</b> 112.	
Note: please, consult with	your local/national competent authorities for the emergency number in your countr
CTION 2: HAZARDS IDE	NTIFICATION
2.1 Classification of the s	substance or mixture
<b>Classification according</b>	to REGULATION (EC) No 1272/2008
Classification (Regulation (	EC) No. 1272/2008)
	Flam.liq.3 H226
	STOT SE 3 H336
2.2 Label elements	
Labeling according to RE	EGULATION (EC) No 1272/2008
Hazard pictograms	
<b>Signal word</b> Warning	
Hazard statements	
H226	Flammable liquid and vapour
H336	May cause drowsiness or dizziness
Precautionary statements	S
P101	If medical advice is needed, have product container or
<b>D</b> 400	label at hand
P102 P210	Keep out of reach of children
F210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271	Use only outdoors or in a well-ventilated area/
P405	Store locked up.
P501.9	Dispose of contents/container as problematic waste.
Supplemental information	n
EUH066	Repeated exposure may cause skin dryness
2.3 Other hazards	

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

The product is a mixture within the meaning of the REACH Regulation (1907/2006/EC). Description: Mixture of dammar resin and solvents. Dangerous components:



## Dammar varnish for artists painting

Revision Date 10.01.2024

Version 1.0 EU / EN

Chemical Name	Concen- tration, wt. %	CAS-No	EC-No / Regis- tration number	Index-No	CLP
Turpentine $C_{10}H_{16}$ (pinene) (synonyms: Oil of turpentine, Spirits of turpentine, Gum turpentine)	65	8006-64-2	232-350-7	Not available	Acute tox. 4; H332 Skin irrit. 2; H315 Eye irrit. 2; H319 Skin sens. 1; H317 Acute tox. 3; H311 Acute tox. 4; H302 Asp. tox. 1; H304 Flam. lig. 3; H226

For the full text of the H-phrases mentioned in this Section, see Section 16.

# SECTION 4: FIRST AID MEASURES

## 4.1 Description of first aid measures

General advice	<ul> <li>In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.</li> </ul>
Inhalation	<ul> <li>Remove to fresh air, keep patient warm and at rest. If breathing is irregu- lar or stopped, administer artificial respiration.</li> </ul>
Skin contact	<ul> <li>Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.</li> </ul>
Eye contact	<ul> <li>Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.</li> </ul>
Ingestion	<ul> <li>If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting</li> </ul>

## 4.2 Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

## SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing Media

guisher, sand, water spray.	in-
Not applicable.	
n the substance or mixture	
In the event of fire the following can be released: Carbon monoxide (CC Carbon dioxide (CO2); dense black smoke; Nitrogen oxides (NOx)	);
Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses	
: roi	<ul> <li>Not applicable.</li> <li>rom the substance or mixture</li> <li>In the event of fire the following can be released: Carbon monoxide (CC Carbon dioxide (CO2); dense black smoke; Nitrogen oxides (NOx)</li> <li>Cool closed containers exposed to fire with water. Do not allow run-off</li> </ul>



Dammar varnish for artists painting

Revision Date 10.01.2024

Version 1.0 EU / EN

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedure

Refer to protective measures listed in sections 7 and 8. Use personal protective equipment. Ensure adequate ventilation, especially in confined areas. Evacuate personnel to safe areas. Avoid contact with skin and eyes.

### 6.2 Environmental precautions

Prevent further spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Avoid release to the environment.

#### 6.3 Methods and materials for containment and cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatoma-ceous earth, vermiculite) and place in container for disposal according to local or national regulations. Pick up and transfer to properly labelled containers. Clean contaminated surface thoroughly.

### 6.4 Reference to other sections

See Section 7, 8, 11, 12 and 13.

## SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Avoid formation of aerosol. Provide appropriate exhaust ventilation at places where aerosol is formed.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
7.2 Conditions for safe stora	ge	including any incompatibilities
areas and containers		Electrical installations/working materials must comply with the local ap- plied technological safety standards. Storage rooms in which filling opera- tions take place must have a conducting floor. Store in accordance with national regulation
Advice on common storage	:	Store away from oxidising agents, from strongly alkaline and strongly acid materials.
Storage period Storage temperature	:	No data available. Observe label precautions. Store between 15 and 30 °C in a dry, well ventilated place away from sources of heat and direct sunlight. Keep container tightly closed. Keep away from sources of ignition. No smoking. Prevent unauthorised access. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
7.3 Specific end use(s)		
Paint		



Dammar varnish for artists painting

Revision Date 10.01.2024

Version 1.0 EU / EN

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Chemical Name	CAS-No	Control parameters	Basis	Country
		100 ppm TWA	OSHA	USA
		560 mg/m3 TWA		
		100 ppm TWA	NIOSH	
Turpentine		560 mg/m3 TWA		
		20 ppm TWA	ACGIH	
		None	AIHA WHEEL	
		20 ppm TWA	Canada – Alberta	Canada
		111 mg/m3 TWA		
Terpentine		20 ppm TWA	Canada - BritishColumbia	
rorportano	0000012		Canada - Ontario	
		20 ppm TWAEV		
		112 mg/m3 TWAEV	Canada - Quebec	
Turpentine	8006-64-2	100 ppm TWA		Australia
	0000-04-2	557 mg/m3 TWA		
Turpentine	8006-64-2	100 ppm TWA		Mexico
rupentine	0000-04-2	560 mg/m3 TWA		

## 8.2 Exposure controls

## Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms. Highly effective exhaust ventilation.

## Personal protective equipment

Respiratory protection	: Respirator FFP2 (for workers).
Remarks	: Use respirators and components tested and approved under appropriate government standards CEN (EU).
Hand protection	
Material Remarks	<ul> <li>Safety gloves (for workers).</li> <li>Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.</li> </ul>
Eye protection	: Safety glasses (for workers).
Remarks	: Use equipment for eye protection tested and approved under appropriate government standards such as EN 166 (EU).
Skin and body protection	: Protected shoes and clothes (for workers).
Remarks	: Choose body protection according to the amount and concentration of the dangerous substance at the work place.
<u>Hygiene measures</u>	<ul> <li>Handle in accordance with good industrial hygiene and safety practice. General industrial hygiene practice. Avoid formation of aerosol. When using do not eat, drink or smoke.</li> </ul>

Dammar varnish for artists painting

Revision Date 10.01.2024

Wash hands before breaks and at the end of workday. Wash contaminated clothing before reuse.

Environmental exposure controls

No data available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

Form Colour Odour Odor threshold Flash point Lower explosion limit Upper explosion limit Explosive properties Flammability Oxidizing properties Self-ignition temperature Melting point/range pH Boiling point/boiling range Vapor pressure Density Bulk density Water solubility Miscibility with water (15 °C) Partition coefficient: n-octanol/water Solubility in other solvents Viscosity, dynamic Viscosity, kinematic Relative vapor density Evaporation rate Decomposition temperature <b>9.2 Other information</b>		Liquid Depending on the dye. Characteristic. No data available. No data available. No data available. No data available. Non-explosive. No information available. Non-oxidizing. 253 °C -55 °C No data available. No data available. No data available. No data available. Not applicable. Insoluble. Non - miscible. No data available. No data available.
Ignition temperature	:	> 370 °C

## SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity
Reactive with strong oxidizing agents
10.2 Chemical stability
Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions
Hazardous polymerization does not occur.
10.4 Conditions to avoid
Heat. Ignition sources. Incompatible materials...
10.5 Incompatible materials
Materials to avoid : Strong oxidizing agents.
10.6 Hazardous decomposition products



Version 1.0 EU / EN



	Revision Date 10.01.2024	Version 1.0 EU / EN
Hazardous decompositic products	on : Carbon oxides.	
Thermal decomposition	: No information available	
TION 11: TOXICOLOGIC	AL INFORMATION	
11.1 Information on toxico	logical effects	
nformation on likely routes of Principal Routes of Exposur Eyes. Skin. Ingestion. Inhala Acute Toxicity The following values are cal Component Information <b>Acute toxicity</b>	e:	GHS document
Terpentine	LD50/oral/rat = = 5760 mg/kg LD50/oral/mouse = No inform LD50/dermal/rabbit = No info LD50/dermal/rat = > 5010 mg Inhalation LC50 = 5760 mg/k LC50/inhalation/rat = 12 g/m LC50/inhalation/mouse = No Other LD50 or LC50informat	nation available ormation available g/kg Dermal LD50 = 12 g/m3 cg Oral LD50 3 Inhalation LC50 Rat 6 h
Acute inhalation toxicity Acute dermal toxicity Acute toxicity (other routes of administration)	No data available. No data available. <u>No</u> data available.	
Skin corrosion / irritation		
Skin irritation	: May cause allergic skin react skin contact.	tion. May cause sensitization by
Serious eye damage / eye	irritation	
Eye irritation	: No irritating.	
Sensitization of the respira	atory / skin	
Skin sensitization Respiratory sensitization	<ul> <li>Non skin sensitizing.</li> <li>Irritating to respiratory system cause drowsiness and dizzin</li> </ul>	
Mutagenicity No mutagenic effect. Carcinogenicity No carcinogenic effect. Reproductive toxicity No reproductive effect. Feratogenicity No data available.		



(EU) No 2015/830, Regulation			
nmar varnish for artists pa			
Revi	sion Date 10.01.2024	Version 1.0	EU / EN
Specific target organ toxicity af Based on available data, the cl Specific target organ toxicity af Not applicable. Aspiration hazard Not applicable. Neurological effects No data available. Toxicology, metabolism, distrib No data available.	assification criteria are not ter repeated exposure (sub		
TION 12: ECOLOGICAL INFO	RMATION		
12.1 Toxicity			
Toxicity to fish:	No data available.		
Toxicity to daphnia and other aquatic invertebrates:	No data available.		
Toxicity to aquatic plants:	No data available.		
Long-term study fish/daphnia and other aquatic inverte- brates/aquatic plants:	No data available.		
12.2 Persistence and degradabi	lity		
-	No data available.		
12.4 Mobility in soil			
	t and vPvB		

## 13.1 Waste treatment methods

Advice on	disposal	and	: Disposal:
packaging			In accordance with local and national regulations. Do not dispose of waste
			into sewer. This material and its container must be disposed of in a safe
			way. Do not dispose of together with household waste. Waste codes
			should be assigned by the user based on the application for which the
			product was used.

## **SECTION 14: TRANSPORT INFORMATION**

ADR :

## SAFETY DATA SHEET NEVSKAYA 🚯 PALITRA according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008 Dammar varnish for artists painting Revision Date 10.01.2024 Version 1.0 EU / EN UN-No: UN1299 Hazard Class: 3 Packing Group: III Subsidiary Risk: No information available Description: UN1299, Turpentine, 3, III, ENVIRONMENTALLY HAZARDOUS RID: UN-No: UN1299 Hazard Class: 3 Packing Group: III Subsidiary Risk: No information available Description: UN1299, Turpentine, 3, III, ENVIRONMENTALLY HAZARDOUS IATA : UN-No: UN1299 Hazard Class: 3 Subsidiary Risk: No information available Packing Group: III ERG Code:3L Special Provisions: No information available Description: UN1299, Turpentine, 3, III IMDG : UN-No: UN1299 Hazard Class: 3 Subsidiary Risk: No information available Packing Group: III Marine Pollutant No information available EMS: F-E Description UN1299, Turpentine, 3, III, Marine pollutant SECTION 15: REGULATORY INFORMATION 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Major-accident categories acc. 96/82/EC Category Flammable kg kg VOC \*\*\* VOC (EU) % q/l Other information The product does not contain substances of very high concern (SVHC). Other information All components are contained in the TSCA inventory or exempted. All components are contained in the AICS inventory. All components are contained in the PICCS inventory. All components are contained in the DSL inventory. All components are contained in the ENCS inventory. 15.2. Chemical safety assessment For this preparation a chemical safety assessment has not been carried out.



Dammar varnish for artists painting

Revision Date 10.01.2024

Version 1.0 EU / EN

## SECTION 16: OTHER INFORMATION

EUH066	Repeated exposure may cause skin dryness or cracking.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Harmful in contact with skin.
H317	Causes serious eye damage
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.

## **CLP** categories listed in Chapter 3

0	•
Acute Tox. 4	Acute toxicity, Category 4
Eye Irrit. 2	Eye irritation, Category 2
Flam. Liq. 3	Flammable liquid, Category 3
Skin Irrit 2	Skin corrosion/irritation
Eye irrit 2	Serious eye damage/eye irritation
L'	, , , , , , , , , , , , , , , , , , , ,

## Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\* This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

t provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

The product should not be used for purposes other than those shown in Section 1 without first referring of the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible or ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.