according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Diluent No. 1 for artistic painting

Revision Date 22.01.2024 Version 2.0 EU / EN

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 Product identifier

Trade name : Diluent No. 1 for artistic painting

Chemical name : Not applicable. CAS-No : Not applicable. EC-No : Not applicable.

Registration number : Not applicable (the substance is a mixture).

1.2 Relevant identified uses of the substance or mixture and uses advised against

ture

Use of the Substance/ Mix- : For dilution of artists oil, pentamaran and alkyd paints and washing paints and canvases, palettes and cleaning brushes.

To dilute varnishes are not suitable.

1.3 Details of the supplier of the safety data sheet

Company : Joint-Stock Company «Artistic paints plant «Nevskava palitra»

68 Serdobolskaya str., Saint-Petersburg, Russia, 197342

Telephone : +7 (812) 337-11-43

E-mail address : secretar@zxknp.spb.ru

Only representative : Not applicable. Telephone : Not applicable. E-mail address : Not applicable.

1.4 Emergency telephone number

Austria: Poison Control Centre, Tel.: (+43)-1-406-43-43; Belgium: Belgisch Antigifcentrum, Tel.: 070/245-245;

Bulgaria: Многопрофилна болница за активно лечение и спешна медицина "Н.И.Пирогов",

Tel.: (+359)-2-9154-409;

Croatia: Poison Control Centre, Tel: (+385)-1-23-48-342;

Czech Republic: Toxikologické informační středisko Telefon: (+420)-224-919-293,

(+420)-224-915-402;

Denmark: Poison Control Hotline, Tel.: (+45)-82-12-12-12;

Estonia: National emergency telephone number: 112 or Poison information telephone number:

16662, calling from abroad: (+372)-626-93-90;

Finland: Poison Information Centre, Tel.: (09)-471-977 (direct) or (09)-4711;

France: ORFILA (INRS): (+33)-(0)-1-45-42-59-59;

Hungary: Az Egészségügyi Toxikológiai Tájékoztató Szolgálat elérhetőségei Tel: (+36)-80-201-199; Latvia: Valsts Toksikoloģijas centra Saindēšanās un zāļu informācijas centrs, Tel.: (+371)-67042473;

Lithuania: Sveikatos apsaugos ministerijos ekstremalių sveikatai situacijų centras,

Tel.: (+370)-5-236-20-52 or (+370)-687-53378; Malta: Mater Dei Hospital, Tel: 2545-0000;

Portugal: Centro de Informação Antivenenos (Portuguese Poison Centre), Tel: 808-250-143;

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Diluent No. 1 for artistic painting

Revision Date 22.01.2024 Version 2.0 EU / EN

Romania: Biroul RSI Si Informare Toxicologica, Tel.: 021-318-36-06 (direct) (8.00 - 15.00);

Slovak Republic: National Toxicological Information Centre (+421)-2-5477-4166;

(+420)-224-915-402;

Sweden: 112.

Note: please, consult with your local/national competent authorities for the emergency number in your

country.

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to REGULATION (EC) No 1272/2008

Classification (Regulation (EC) No. 1272/2008)

Flam.liq.3 H226

2.2 Label elements

Labeling according to REGULATION (EC) No 1272/2008

Hazard pictograms



Signal word

Warning!

Hazard statements

H226 Flammable liquid and vapour H336 May cause drowsiness or dizziness

Precautionary statements

P101 If medical advice is needed, have product container or

label at hand

P102 Keep out of reach of children

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P271 Use only outdoors or in a well-ventilated area/

P405 Store locked up.

P501.9 Dispose of contents/container as problematic waste.

Supplemental information

EUH066 Repeated exposure may cause skin dryness

2.3 Other hazards

No special hazards have to be mentioned

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

The product is a mixture within the meaning of the REACH Regulation (1907/2006/EC).

Description: Mixture of organic oils and solvents.

Dangerous components:

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Diluent No. 1 for artistic painting

Revision Date 22.01.2024 Version 2.0 EU / EN

Chemical Name	Concen- tration, wt. %	CAS-No	EC-No / Regis- tration number	Index-No	CLP
Stoddard Solvent	50	8052-41-3	232-489-3	649-345-00-4	Flam Liq. 3; H226 Muta 1B; H340 Canc. 1B; H 350 STOT SE 1; H372 Asp. Tox. 1; H304
Turpentine C ₁₀ H ₁₆ (pinene) (synonyms: Oil of turpentine, Spirits of turpentine, Gum turpentine)	50	8006-64-2	232-350-7	Not available	Acute tox. 4; H332 Skin irrit. 2; H315 Eye irrit. 2; H319 Skin sens. 1; H317 Acute tox. 3; H311 Acute tox. 4; H302 Asp. tox. 1; H304 Flam. liq. 3; H226

For the full text of the H-phrases mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice : In all cases of doubt, or when symptoms persist, seek medical

> attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek

medical advice.

Inhalation : Remove to fresh air, keep patient warm and at rest. If breath-

ing is irregular or stopped, administer artificial respiration.

: Remove contaminated clothing. Wash skin thoroughly with Skin contact

soap and water or use recognised skin cleanser. Do NOT use

solvents or thinners.

Eye contact : Remove contact lenses, irrigate copiously with clean, fresh

water, holding the eyelids apart for at least 10 minutes and

seek immediate medical advice.

Ingestion : If accidentally swallowed rinse the mouth with plenty of water

(only if the person is conscious) and obtain immediate medi-

cal attention. Keep at rest. Do NOT induce vomiting

4.2 Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable extinguishing media : Use carbon dioxide, dry chemical, foam or carbon dioxide type

fire extinguisher, sand, water spray.

Unsuitable

extinguishing : Not applicable.

media

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Diluent No. 1 for artistic painting

Revision Date 22.01.2024 Version 2.0 EU / EN

5.2 Special hazards arising from the substance or mixture

: In the event of fire the following can be released: Carbon Specific hazards

monoxide (CO): Carbon dioxide (CO2): dense black smoke:

Nitrogen oxides (NOx)

5.3 Advice fire fighters

for fire-fighters

Special protective equipment : Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedure

Refer to protective measures listed in sections 7 and 8. Use personal protective equipment, Ensure adequate ventilation, especially in confined areas. Evacuate personnel to safe areas. Avoid contact with skin and eyes.

6.2 Environmental precautions

Prevent further spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Avoid release to the environment.

6.3 Methods and materials for containment and cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local or national regulations. Pick up and transfer to properly labelled containers. Clean contaminated surface thoroughly.

6.4 Reference to other sections

See Section 7, 8, 11, 12 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

: For personal protection see section 8. Avoid formation of Advice on safe handling

aerosol. Provide appropriate exhaust ventilation at places

where aerosol is formed.

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

7.2 Conditions for safe storage including any incompatibilities

areas and containers

Requirements for storage: Electrical installations/working materials must comply with the local applied technological safety standards. Storage rooms in

which filling operations take place must have a conducting

floor. Store in accordance with national regulation

Advice on common storage : Store away from oxidising agents, from strongly alkaline and

strongly acid materials.

Storage period : No data available.

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Diluent No. 1 for artistic painting

Revision Date 22.01.2024 Version 2.0 EU / EN

Storage temperature : Observe label precautions. Store between 15 and 30 °C in a

dry, well ventilated place away from sources of heat and direct sunlight. Keep container tightly closed. Keep away from sources of ignition. No smoking. Prevent unauthorised access.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

7.3 Specific end use(s)

Paint

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Chemical Name	CAS-No	Control parameters	Basis	Country
Stoddard Solvent	8052-41-3	TWA: 125 mg/m³ 8 hours Form: All forms TWA: 25 ppm 8 hours. Form: All forms	EH40-WEL	United Kingdom
Turpentine	8006-64-2	100 ppm TWA 560 mg/m3 TWA 100 ppm TWA 560 mg/m3 TWA 20 ppm TWA None	OSHA NIOSH ACGIH AIHA WHEEL	USA
Terpentine	8006-64-2	20 ppm TWAEV	Canada – Alberta Canada - BritishColumbia Canada - Ontario Canada - Quebec	Canada
Turpentine	8006-64-2	100 ppm TWA 557 mg/m3 TWA		Australia
Turpentine	8006-64-2	100 ppm TWA 560 mg/m3 TWA		Mexico

8.2 Exposure controls

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms. Highly effective exhaust ventilation.

Personal protective equipment

<u>Respiratory protection</u>: Respirator FFP2 (for workers).

Remarks : Use respirators and components tested and approved under

appropriate government standards CEN (EU).

Hand protection

Material : Safety gloves (for workers).

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Diluent No. 1 for artistic painting

Revision Date 22.01.2024 Version 2.0 EU / EN

<u>Eye protection</u>: Safety glasses (for workers).

Remarks : Use equipment for eye protection tested and approved under

appropriate government standards such as EN 166 (EU).

Skin and body protection : Protected shoes and clothes (for workers).

Remarks : Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

General industrial hygiene practice.

Avoid formation of aerosol.

When using do not eat, drink or smoke.

Wash hands before breaks and at the end of workday.

Wash contaminated clothing before reuse.

Environmental exposure controls

No data available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form : Liquid

Colour : Depending on the dye.

Odour : Characteristic.
Odor threshold : No data available.
Flash point : No data available.
Lower explosion limit : No data available.
Upper explosion limit : No data available.
Explosive properties : Non-explosive.

Flammability : No information available.

Oxidizing properties : Non-oxidizing.
Self-ignition temperature : No data available

Melting point/range : -50 °C

pH : No data available.
Boiling point/boiling range : No data available.
Vapor pressure : No data available.
Density : 0.8-0.9 kg/l at 20 °C
Bulk density : Not applicable.
Water solubility : Insoluble.

Miscibility with water (15 °C) Non - miscible. Partition coefficient: n-octanol/water No data available. Solubility in other solvents No data available. Viscosity, dynamic No data available. Viscosity, kinematic No data available. Relative vapor density No data available. Evaporation rate No data available. Decomposition temperature No data available.

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Diluent No. 1 for artistic painting

Revision Date 22.01.2024 Version 2.0 EU / EN

9.2 Other information

Ignition temperature : > 350 °C

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Reactive with strong oxidizing agents

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerization does not occur.

10.4 Conditions to avoid

Heat. Ignition sources. Incompatible materials...

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents.

10.6 Hazardous decomposition products

Hazardous decomposition : Carbon oxides.

products

Thermal decomposition : No information available

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information on likely routes of exposure

Principal Routes of Exposure:

Eyes. Skin. Ingestion. Inhalation.

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Component Information

Acute toxicity

LD50/oral/rat >5000 mg/kg

Stoddard Solvent LD50/dermal/rabbit >3000 mg/kg

LC50/inhalation/rat > 2000 g/m3 (1 h)

LD50/oral/rat = 5760 mg/kg

LD50/oral/mouse = No information available LD50/dermal/rabbit = No information available

LD50/dermal/rat = > 5010 mg/kg | LD50 = 12 g/m3 Inhalation

Terpentine LC50 = 5760 mg/kg Oral LD50

LC50/inhalation/rat = 12 g/m3 Inhalation LC50 Rat 6 h LC50/inhalation/mouse = No infomation available

Other LD50 or LC50information = No information available

Acute inhalation toxicity No data available.

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Diluent No. 1 for artistic painting

Revision Date 22.01.2024 Version 2.0 EU / EN

Acute dermal toxicity

Acute toxicity (other routes of

administration)

No data available. No data available.

Skin corrosion / irritation

Skin irritation : May cause allergic skin reaction. May cause sensitization by

skin contact.

Serious eye damage / eye irritation

<u>Eye irritation</u> : No irritating.

Sensitization of the respiratory / skin

Skin sensitization : Non skin sensitizing.

Respiratory sensitization : Irritating to respiratory system. Inhalation of vapors may

cause drowsiness and dizziness.

Mutagenicity

No mutagenic effect.

Carcinogenicity

No carcinogenic effect.

Reproductive toxicity

No reproductive effect.

Teratogenicity

No data available.

Specific target organ toxicity after single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity after repeated exposure (sub-acute / sub-chronic)

Not applicable.

Aspiration hazard

Not applicable.

Neurological effects

No data available.

Toxicology, metabolism, distribution

No data available.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

<u>Toxicity to fish:</u> : No data available.

Toxicity to daphnia and other Stoddard Solvent CL50 > 600 mg/l (96 h)

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Diluent No. 1 for artistic painting

Revision Date 22.01.2024 Version 2.0 EU / EN

aquatic invertebrates:

Toxicity to aquatic plants:

No data available.

<u>Long-term study fish/daphnia</u> No data available. and other aquatic inverte-

brates/aquatic plants:

12.2 Persistence and degradability

Biodegradability : No data available.

12.3 Bioaccumulation potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT assessment and vPvB

Not PBT and no vPvB.

12.6 Other adverse effects

Additional ecological infor- : The product should not be allowed to enter drains, water

<u>mation</u> courses or the soil.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Advice on disposal and : Disposal:

packaging In accordance with local and national regulations. Do not dis-

pose of waste into sewer. This material and its container must be disposed of in a safe way. Do not dispose of together with household waste. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: TRANSPORT INFORMATION

ADR:

UN-No: UN1299 Hazard Class: 3 Packing Group: III

Subsidiary Risk: No information available

Description: UN1299, 3, III, ENVIRONMENTALLY HAZARDOUS

RID:

UN-No: UN1299 Hazard Class: 3 Packing Group: III

Subsidiary Risk: No information available

Description: UN1299, 3, III, ENVIRONMENTALLY HAZARDOUS

IATA:

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Diluent No. 1 for artistic painting

Revision Date 22.01.2024 Version 2.0 EU / EN

UN-No: UN1299 Hazard Class: 3

Subsidiary Risk: No information available

Packing Group: III ERG Code:3L

Special Provisions: No information available

Description: UN1299, 3, III

IMDG:

UN-No: UN1299 Hazard Class: 3

Subsidiary Risk: No information available

Packing Group: III

Marine Pollutant No information available

EMS: F-E

Description UN1299, 3, III, Marine pollutant

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: Europe inventory: All components are listed or exempted. Black List Chemicals: Not listed Priority List Chemicals: Not determined SECTION 15: Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture E

Other information

The product does not contain substances of very high concern (SVHC).

Other information

All components are contained in the TSCA inventory or exempted.

All components are contained in the AICS inventory.
All components are contained in the PICCS inventory.
All components are contained in the DSL inventory.
All components are contained in the ENCS inventory.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H340 May cause genetic defects

H350 May cause cancer

H370 Causes damage to organs

H372 Causes damage to organs through prolonged or repeated

exposure.

EUH066 Repeated exposure may cause skin dryness or cracking.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.
H315 Harmful in contact with skin.
H317 Causes serious eye damage

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Diluent No. 1 for artistic painting

Revision Date 22.01.2024 Version 2.0 EU / EN

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

CLP categories listed in Chapter 3

Flam.Liq. 3 Flammable liquids
Muta 1B Germ cell mutagenicity
Canc.1B Carcinogenicity

Asp. Tox. 1 Carcinogenicity
Aspiration hazard

STOT SE 1 Specific target organ toxicity, single exposure

Acute Tox. 4 Acute toxicity, Category 4

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic, Category 3

Asp. Tox. 1

Eye Irrit. 2

Flam. Liq. 3

Repr. 2

Aspiration hazard, Category 1

Eye irritation, Category 2

Flammable liquid, Category 3

Reproductive toxicity, Category 2

STOT SE 3 Specific target organ toxicity - single exposure, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.