

Retouching varnish for artists painting

Revision Date 10.01.2024

Version 1.0 EU / EN

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 Product identifier		
Trade name	Retouching varnish for artists painting	
Chemical name CAS-No EC-No Registration number	Not applicable. Not applicable. Not applicable. Not applicable (the substance is a mixture).	
1.2 Relevant identified uses	the substance or mixture and uses advised against	
<u>Use of the Substance/ Mix- ture</u>	Retoushing varnish used in oil painting as an intermediate layer to preve juhoti and increase adhesion of paint layers	ent
1.3 Details of the supplier of	e safety data sheet	
Company	Joint-Stock Company «Artistic paints plant «Nevskaya palitra» 68 Serdobolskaya str., Saint-Petersburg, Russia, 197342	
<u>Telephone</u>	+7 (812) 337-11-43	
E-mail address	secretar@zxknp.spb.ru	
Only representative	Not applicable.	
<u>Telephone</u>	Not applicable.	
E-mail address	Not applicable.	

1.4 Emergency telephone number

Austria: Poison Control Centre, Tel.: (+43)-1-406-43-43; Belgium: Belgisch Antigifcentrum, Tel.: 070/245-245; Bulgaria: Многопрофилна болница за активно лечение и спешна медицина "Н.И.Пирогов", Tel.: (+359)-2-9154-409; Croatia: Poison Control Centre, Tel: (+385)-1-23-48-342; Czech Republic: Toxikologické informační středisko Telefon: (+420)-224-919-293, (+420)-224-915-402; Denmark: Poison Control Hotline, Tel.: (+45)-82-12-12; Estonia: National emergency telephone number: 112 or Poison information telephone number: 16662, calling from abroad: (+372)-626-93-90; Finland: Poison Information Centre, Tel.: (09)-471-977 (direct) or (09)-4711; France: ORFILA (INRS): (+33)-(0)-1-45-42-59-59; Hungary: Az Egészségügyi Toxikológiai Tájékoztató Szolgálat elérhetőségei Tel: (+36)-80-201-199; Latvia: Valsts Toksikoloģijas centra Saindēšanās un zāļu informācijas centrs, Tel.: (+371)-67042473; Lithuania: Sveikatos apsaugos ministerijos ekstremalių sveikatai situacijų centras, Tel.: (+370)-5-236-20-52 or (+370)-687-53378; Malta: Mater Dei Hospital, Tel: 2545-0000; Portugal: Centro de Informação Antivenenos (Portuguese Poison Centre), Tel: 808-250-143; Romania: Biroul RSI Si Informare Toxicologica, Tel.: 021-318-36-06 (direct) (8.00 - 15.00);



Retouching varnish for	or artists painting		
	Revision Date 10.01.2024	Version 1.0	EU / EN
Slovak Republic: Natio (+420)-224-915-402; Sweden: 112.	onal Toxicological Information Centre (+4	l21)-2-5477-4166;	
Note: please, consult wi	th your local/national competent authorit	ties for the emergency	number in your cou
ECTION 2: HAZARDS I	DENTIFICATION		
2.1 Classification of th	e substance or mixture		
Classification accordi	ng to REGULATION (EC) No 1272/2008	8	
Classification (Regulation	•		
	Flam.liq.3 H226		
2.2 Label elements			
Labeling according to	REGULATION (EC) No 1272/2008		
Hazard pictograms			
• •			
Signal word			
Warning			
Hazard statements			
H225	Highly flammable liquid and vapo	ur	
H226	Flammable liquid and vapour		
Precautionary stateme	If medical advice is needed, have	product container or	
	label at hand		
P102	Keep out of reach of children		
P210	Keep away from heat, hot surface	es, sparks, open flame	s and other
	ignition sources. No smoking.		
P271	Use only outdoors or in a well-ver	ntilated area/	
P405 P501.9	Store locked up.	problematic wests	
F301.9	Dispose of contents/container as	problematic waste.	
Supplemental informa	tion		
EUH066	Repeated exposure may cause s	kin dryness	
2.3 Other hazards	-		
No special hazards have	e to be mentioned		

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

The product is a mixture within the meaning of the REACH Regulation (1907/2006/EC). Description: Mixture of organic oils and solvents. Dangerous components:



Retouching varnish for artists painting

Revision Date 10.01.2024

Version 1.0 EU / EN

Chemical Name	Concen- tration, wt. %	CAS-No	EC-No / Regis- tration number	Index-No	CLP
Stoddard Solvent	70	8052-41-3	232-489-3	649-345-00-4	Flam Liq. 3; H226 Muta 1B; H340 Canc. 1B; H 350 STOT SE 1; H372 Asp. Tox. 1; H304
1-Butanol	5	71-36-3	200-75-16		Flam Liq. 3; H226 Acute tox. 4; H302 Skin irrit. 2; H315 Eye irrit. 2; H318 Skin irrit. 2; H335 STOTE SE 3; H336
Isopropyl alcohol	4	67-63-0	200-661-7	603-117-00-0	Eye irrit. 2; H319 STOTE SE 3; H336
2-Ethoxyethanol	4	110-80-5	203-804-1	603-012-00-x	Flam Liq. 3; H226 Acute tox. 5; H303 Acute tox. 5; H313 Acute tox. 5; H313 Eye irrit. 2B; H320 Repr. 1B; H360FB STOT SE 1; H370 STOT RE 1; H372
Ethyl acetate	3	141-78-6	205-500-4	601-022-00-5	Flam Liq. 2; H225 Eye irrit. 2; H319 STOTE SE 3; H336

For the full text of the H-phrases mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of firs	t aid measures
General advice	 In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.
Inhalation	: Remove to fresh air, keep patient warm and at rest. If breathing is irregu- lar or stopped, administer artificial respiration.
Skin contact	 Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
Ingestion	 If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting
4.2 Most important sy	mptoms and effects, both acute and delayed
Until now no symptoms	known so far.
4.3 Indication of any i	mmediate medical attention and special treatment needed

Treat symptomatically



Retouching varnish for artists painting

Revision Date 10.01.2024

Version 1.0

EU / EN

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable extinguishing media	: Use carbon dioxide, dry chemical, foam or carbon dioxide type fire ex- tinguisher, sand, water spray.			
Unsuitable extinguishing media	Not applicable.			
5.2 Special hazards arising f	m the substance or mixture			
Specific hazards	: In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); dense black smoke; Nitrogen oxides (NOx)			
5.3 Advice fire fighters				
Special protective equipment for fire-fighters	: Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses			

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedure

Refer to protective measures listed in sections 7 and 8. Use personal protective equipment. Ensure adequate ventilation, especially in confined areas. Evacuate personnel to safe areas. Avoid contact with skin and eyes.

6.2 Environmental precautions

Prevent further spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Avoid release to the environment.

6.3 Methods and materials for containment and cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatoma-ceous earth, vermiculite) and place in container for disposal according to local or national regulations. Pick up and transfer to properly labelled containers. Clean contaminated surface thoroughly.

6.4 Reference to other sections

See Section 7, 8, 11, 12 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Avoid formation of aerosol. Provide
		appropriate exhaust ventilation at places where aerosol is formed.

Advice on protection against : Normal measures for preventive fire protection. fire and explosion

7.2 Conditions for safe storage including any incompatibilities

NEVSKAYA 🚯 PALITRA

Retouching	varnish for	artists	paintir	ng
		Revisi	on Date	10.01.2024

F	Revision Date 10.01.2024	Version 1.0	EU / EN
Requirements for storage areas and containers	: Electrical installations/working technological safety standards take place must have a condu regulation	s. Storage rooms in wh	ich filling operation
Advice on common storage	: Store away from oxidising age materials.	ents, from strongly alka	line and strongly
Storage period	: No data available.		
Storage temperature	: Observe label precautions. St lated place away from sources tightly closed. Keep away from unauthorised access. Contain sealed and kept upright to pre	s of heat and direct sur n sources of ignition. N ers which are opened	nlight. Keep conta lo smoking. Preve
7.3 Specific end use(s)			
Paint			

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Chemical Name	CAS-No	Control parameters	Basis	Country
Stoddard Solvent	8052-41-3	TWA: 125 mg/m ³ 8 hours Form: All forms TWA: 25 ppm 8 hours. Form: All forms	EH40-WEL	United Kingdom
1-Butanol	71-36-3	TWA: 20 ppm 8 hours. Absorbed through skin. CEIL: 150 mg/m ³ CEIL: 50 ppm TWA: 300 mg/m ³ 8 hours. TWA: 100 ppm 8 hours. Absorbed through skin. CEIL: 150 mg/m ³ CEIL: 50 ppm Absorbed through skin. STEL: 154 mg/m ³ 15 minutes. STEL: 50 ppm 15 minutes	ACGIH TLV. NIOSH REL OSHA EH40/2005 WELs	United States
Isopropyl alcohol	67-63-0	10000 mg/m3 TWA STEL: 1250 mg/m ³ 15 minutes. STEL: 500 ppm 15 minutes. TWA: 999 mg/m ³ 8 hours. TWA: 400 ppm 8 hours	EH40/2005 WELs	Russia United Kingdom

8.2 Exposure controls

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms. Highly effective exhaust ventilation.

Personal protective equipment

Respiratory protection

: Respirator FFP2 (for workers).

SAFETY DATA SHEET according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008 Retouching varnish for artists painting

NEVSKAYA 够 PALITRA

	Revision Date 10.01.2024	Version 1.0	EU / EN
Remarks	: Use respirators and compone government standards CEN (ved under appropr
Hand protection			
Material	: Safety gloves (for workers).		
Remarks	: Choose gloves to protect he concentration and quantity of place of work. For special ap sistance to chemicals of the glove manufacturer.	of the hazardous subsoplications, we recomm	tance and specific nend clarifying the
Eye protection	: Safety glasses (for workers).		
Remarks	: Use equipment for eye protect government standards such a		ved under appropr
Skin and body protection	: Protected shoes and clothes	(for workers).	
Remarks	: Choose body protection acco dangerous substance at the v		d concentration of
<u>Hygiene measures</u>	: Handle in accordance with go General industrial hygiene pra Avoid formation of aerosol. When using do not eat, drink Wash hands before breaks ar Wash contaminated clothing I	actice. or smoke. nd at the end of workda	

No data available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form Colour Odour Odor threshold Flash point Lower explosion limit Upper explosion limit Explosive properties	Liquid Depending on the dye. Characteristic. No data available. No data available. No data available. No data available. Non-explosive.
Flammability Oxidizing properties Self-ignition temperature Melting point/range pH Boiling point/boiling range Vapor pressure	No information available. Non-oxidizing. No data available -35 °C No data available. No data available. No data available.

Retouching varnish for artists painting Revision Date 10.01.2024 Version 1.0 EU / EN Density 0.8-0.9 kg/l at 20 °C Bulk density Not applicable. Water solubility Insoluble. Miscibility with water (15 °C) Non - miscible. Partition coefficient: n-octanol/water No data available. Solubility in other solvents No data available. Viscosity, dynamic No data available. Viscosity, kinematic No data available. Relative vapor density No data available. Evaporation rate No data available. :

No data available.

9.2 Other information

Decomposition temperature

•		
Ignition temperature	:	> 350 °C

SECTION 10: STABILITY AND REACTIVITY

 10.1 Reactivity Reactive with strong oxidizing agents 10.2 Chemical stability Stable under recommended storage conditions. 10.3 Possibility of hazardous reactions Hazardous polymerization does not occur. 10.4 Conditions to avoid Heat. Ignition sources. Incompatible materials 10.5 Incompatible materials			
Materials to avoid	: Strong oxidizing agents.		
10.6 Hazardous decomposition products			
Hazardous decomposition products	: Carbon oxides.		
Thermal decomposition	: No information available		

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information on likely routes of exposure Principal Routes of Exposure: Eyes. Skin. Ingestion. Inhalation. Acute Toxicity The following values are calculated based on chapter 3.1 of the GHS document **Component Information** Acute toxicity LD50/oral/rat >5000 mg/kg Stoddard Solvent LD50/dermal/rabbit >3000 mg/kg LC50/inhalation/rat > 2000 g/m3 (1 h) LD50/oral/rat >5000 mg/kg Isopropyl alcohol LD50/dermal/rabbit >12800 mg/kg

2-Ethoxyethanol

7/11

LD50/dermal/rabbit >3900 mg/kg

LD50/oral/rat >2000 mg/kg

NEVSKAYA 🚯 PALITRA

-			
SAFETY DATA SHEET			
according to Regulation (EC) No	1907/2006, Regula	- NEVSKAYA 🔥	PALITRA
tion (EU) No 2015/830, Regulation (EC) No 1272/2008			
Retouching varnish for artist			
Rev	vision Date 10.01.2024	4 Version 1.0	EU / EN
Ethyl acetate Acute inhalation toxicity	LD50/oral/rat >560 LC50/inhalation/ra No data available.	0 mg/kg t > 1600 g/m3 (4 h)	
Acute dermal toxicity	No data available.		
Acute toxicity (other routes of administration)	No data available.		
Skin corrosion / irritation			
Skin irritation :	May cause allergic	skin reaction. May cause sen	sitization by skin contact.
Serious eye damage / eye irritation			
Eye irritation :	No irritating.		
Sensitization of the respiratory / skin			
Skin sensitization : Respiratory sensitization :	Non skin sensitizin Irritating to respirat and dizziness.	g. ory system. Inhalation of vapo	rs may cause drowsiness
Mutagenicity No mutagenic effect. Carcinogenicity No carcinogenic effect.			
Reproductive toxicity No reproductive effect. Teratogenicity No data available.	<i>a</i>		
Specific target organ toxicity after single exposure Based on available data, the classification criteria are not met. Specific target organ toxicity after repeated exposure (sub-acute / sub-chronic) Not applicable.			
Aspiration hazard Not applicable.			
Neurological effects No data available.			
	Toxicology, metabolism, distribution		
No data available.			
SECTION 12: ECOLOGICAL INFORMATION			
12.1 Toxicity			
Toxicity to fish: :		No data available.	
Toxicity to daphnia and other Standard Stand	toddard Solvent	CL50 > 600 mg/l (96 h)	
Toxicity to aquatic plants:		No data available.	
Long-term study fish/daphnia		No data available.	

NEVSKAYA 🔣 PALITRA

Retouching varnish for artists painting

Revision Date 10.01.2024

Version 1.0 EU / EN

and other aquatic invertebrates/aquatic plants:

12.2 Persistence and degradability

Biodegradability : No data available.

12.3 Bioaccumulation potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT assessment and vPvB

Not PBT and no vPvB.

12.6 Other adverse effects

mation

Additional ecological infor- : The product should not be allowed to enter drains, water courses or the soil.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Advice on disposal and : Disposal: In accordance with local and national regulations. Do not dispose of packaging waste into sewer. This material and its container must be disposed of in a safe way. Do not dispose of together with household waste. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: TRANSPORT INFORMATION

ADR: UN-No: UN1299 Hazard Class: 3 Packing Group: III Subsidiary Risk: No information available Description: UN1299, 3, III, ENVIRONMENTALLY HAZARDOUS RID: UN-No: UN1299 Hazard Class: 3 Packing Group: III Subsidiary Risk: No information available

Description: UN1299, 3, III, ENVIRONMENTALLY HAZARDOUS

IATA :

UN-No: UN1299 Hazard Class: 3 Subsidiary Risk: No information available Packing Group: III ERG Code:3L

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008

NEVSKAYA 🚯 PALITRA

Retouching varnish for artists painting

Revision Date 10.01.2024

Version 1.0

Ver

EU / EN

Special Provisions: No information available Description: UN1299, 3, III

IMDG :

UN-No: UN1299 Hazard Class: 3 Subsidiary Risk: No information available Packing Group: III Marine Pollutant No information available EMS: F-E Description UN1299, 3, III, Marine pollutant

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Europe inventory : All components are listed or exempted. Black List Chemicals : Not listed Priority List Chemicals : Not determined SECTION 15: Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture E

Other information

The product does not contain substances of very high concern (SVHC).

Other information

All components are contained in the TSCA inventory or exempted.

All components are contained in the AICS inventory.

All components are contained in the PICCS inventory.

All components are contained in the DSL inventory.

All components are contained in the ENCS inventory.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
	Harmful if swallowed.
H302	
H <mark>303</mark>	May be harmfulif swallowed
H304	May be fatal if swallowed and enters airways.
H <mark>315</mark>	Causes skin irritation
H318	Causes serious eye damage.
H <mark>319</mark>	Causes serious eye irritation
H320	Causes eye irritation
H <mark>331</mark>	Toxic if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness.
H340	May cause genetic defects
H350	May cause cancer
H360FB	May damage fertility or the unborn child
H370	Causes damage to organs
H372	Causes damage to organs through prolonged or repeated exposure.

Retouching varnish for artists painting

Revision Date 10.01.2024

EU / EN

CLP categories listed in Chapter 3

Flam.Liq. 3	Flammable liquids
Muta 1B	Germ cell mutagenicity
Canc.1B	Carcinogenicity
Asp. Tox. 1	Aspiration hazard
Acut Tox. 4	Aspiration hazard
Skin Irrit 2	Skin corrosion/irritation
Eye irrit 2	Serious eye damage/eye irritation
Acut tox. 5	Acute toxicity,oral
Eye irrit 2B	Serious eye damage/eye irritation
Repr. 1B	Reproductive toxicity
STOT SE 1	Specific target organ toxicity, single exposure
STOT SE 3	Specific target organ toxicity
STOT RE 1	Specific target organ toxicity, repeated exposure
Supplemental information	

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.