according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc colours "Sonnet"

Revision Date 19.01.2024 Version 1.0 EU / EN

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 Product identifier

Trade name : Acrilyc colours "Sonnet": Titanium white, Turquoise blue, Azure,

Phthalocyanine blue, Yellow light, Yellow medium, Yellow deep, Green light, Green deep, Phthalocyanine green, Emerald green, Carmine, Madder lake red, Red light, Red deep, Lemon, Pastel yellow, Olive green, Orange, Gold ochre, Ochre light, Rose, Pastel rose, Black, Gray, Burnt Sienna, Raw Sienna, Blue light, Ultramarine,

Burnt umber, Raw umber, Violet light, Violet deep, Gold, Silver

Chemical name : Not applicable.
CAS-No : Not applicable.
EC-No : Not applicable.

Registration number : Not applicable (the substance is a mixture).

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/ Mix- : Accessories for acrylic painting

ture

1.3 Details of the supplier of the safety data sheet

<u>Company</u> : Joint-Stock Company «Artistic paints plant «Nevskaya palitra»

68 Serdobolskaya str., Saint-Petersburg, Russia, 197342

<u>Telephone</u> : +7 (812) 337-11-43

E-mail address : secretar@zxknp.spb.ru

Only representative: Not applicable.Telephone: Not applicable.E-mail address: Not applicable.

1.4 Emergency telephone number

Austria: Poison Control Centre, Tel.: (+43)-1-406-43-43; **Belgium:** Belgisch Antigifcentrum, Tel.: 070/245-245;

Bulgaria: Многопрофилна болница за активно лечение и спешна медицина "Н.И.Пирогов",

Tel.: (+359)-2-9154-409;

Croatia: Poison Control Centre, Tel: (+385)-1-23-48-342;

Czech Republic: Toxikologické informační středisko Telefon: (+420)-224-919-293,

(+420)-224-915-402;

Denmark: Poison Control Hotline, Tel.: (+45)-82-12-12-12;

Estonia: National emergency telephone number: 112 or Poison information telephone number: 16662, calling

from abroad: (+372)-626-93-90;

Finland: Poison Information Centre, Tel.: (09)-471-977 (direct) or (09)-4711;

France: ORFILA (INRS): (+33)-(0)-1-45-42-59-59;

Hungary: Az Egészségügyi Toxikológiai Tájékoztató Szolgálat elérhetőségei Tel: (+36)-80-201-199;

1/11

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



EU / EN

Acrilyc colours "Sonnet"

Revision Date 19.01.2024 Version 1.0

Latvia: Valsts Toksikoloģijas centra Saindēšanās un zāļu informācijas centrs, Tel.: (+371)-67042473;

Lithuania: Sveikatos apsaugos ministerijos ekstremalių sveikatai situacijų centras,

Tel.: (+370)-5-236-20-52 or (+370)-687-53378; **Malta:** Mater Dei Hospital, Tel: 2545-0000;

Portugal: Centro de Informação Antivenenos (Portuguese Poison Centre), Tel: 808-250-143; **Romania:** Biroul RSI Si Informare Toxicologica, Tel.: 021-318-36-06 (direct) (8.00 - 15.00);

Slovak Republic: National Toxicological Information Centre (+421)-2-5477-4166;

(+420)-224-915-402;

Sweden: 112.

Note: please, consult with your local/national competent authorities for the emergency number in your country.

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to REGULATION (EC) No 1272/2008

The product does classified in accordance with REGULATION (EC) No 1272/2008.

Not a hazardous mixture according to REGULATION (EC) No 1272/2008.

2.2 Label elements

Labeling according to REGULATION (EC) No 1272/2008

Hazard pictograms





Signal word

Warning! Contains titanium dioxide.

Warning! Contains zinc oxide.

Hazard statements

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

H351 Suspected of causing cancer <state route of exposure if it is

conclusively proven that no other routs of exposure>

Precautionary statements

P101 If medical advice is needed, have product container or

label at hand

P102 Keep out of reach of children

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P270 Do not eat, drink or smoke when using this product

P273 Avoid release to the environment

P391 Collect spillage

P501.9 Dispose of contents/container as problematic waste.

Supplemental information

2.3 Other hazards

2/11

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc colours "Sonnet"

Revision Date 19.01.2024

Version 1.0

EU / EN

No special hazards have to be mentioned.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances
Chemical characterization pigment copolymer

water

CAS-Number

EINECS / ELINCS / NLP EU index number Customs tariff number REACH registration No. RTECS-no. Hazchem-Code

CI-Number

3.2 Mixtures

Substance 1

Chemical Name	Concentra- tion, wt. %	CAS-No	EC-No / Regis- tration number	Index-No	CLP
Titanium dioxide (Pigment White 6)	0-15	13463-67-7	236-675-5	Not applicable	Carc.2, H351

Substance 2

Chemical Name	Concen- tration, wt. %	CAS-No	EC-No / Regis- tration number	Index-No	CLP
Zinc oxide (Pigment White 4)	25	1314-13-2	215-222-5	030-013-00-7	Aquatic Acute; H400 / Aquatic Chronic 1; H410

Additional information:

For the full text of the H-phrases mentioned in this Section, see Section 16.

Further information: annex

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information

In case of inhalation

No special measures are required. Seek medical aid in case of troubles.

In case of skin contact

Remove residues with soap and water. Seek medical attention if irritation persists.

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc colours "Sonnet"

Revision Date 19.01.2024

Version 1.0

EU / EN

After eye contact

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention of irritation persists/

After swallowing

Seek medical treatment in case of troubles/

- 4.2 Most important symptoms and effects, both acute and delayed
- 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable extinguishing media

Co-ordinate fire-fighting measures tot he fire surroundings.

Extinguishing media which must not be used for safety reasons

Full water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters

Additional information

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedure

Avoid contact with skin, eyes and clothing/

6.2 Environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

Take up mechanically. Wash spill area with plenty of water/

Additional information

6.4 Reference to other sections

Disposal: See Section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precaution against fire and explosion

7.2 Conditions for safe storage including any incompatibilities

Requirements for storerooms and containers

Keep container tightly closed.

Hints on joint storage

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc colours "Sonnet"

Revision Date 19.01.2024

Version 1.0

EU / EN

Storage class Further details

storage temperature: 5 – 35 °C

7.3 Specific end use(s)

No special measures necessary if srored and handled as prescribed.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

CAS 1314-13-2 zinc oxide

DEU	E-dust	1,250	mg/m ³	4 (I)
DEU		10,000	mg/m ³	2 (II)

CAS 13463-67-7 titanium dioxide

Chemical Name	CAS-No	Control parameters	Basis	Country
Titanium dioxide (Pigment White 6)	13463-67-7	STEL: 30 mg/m³ (calculated, total inhalable) STEL: 12 mg/m³ (calculated, respirable) TWA: 10 mg/m³ (total inhalable) TWA: 4 mg/m³ (respirable)	EH40/2005	The United Kingdom
Titanium dioxide	13463-67-7	TWA: 10 mg/m³ (as Ti)	ED 984	France
Titanium dioxide	13463-67-7	VLA-ED: 10 mg/m ³	OEL for Spain, 2015	Spain
Titanium dioxide	13463-67-7	VLE-MP: 10 mg/m ³	NP 1796:2014	Portugal
Titanium dioxide	13463-67-7	TWA: 6 mg/m³ (as Ti)	Statutory Order No 507 17.05.2011 with add.	Denmark
Titanium dioxide	13463-67-7	STEL: 10 mg/m³ (alveolar dust, respirab- le fraction, 2 X 60 min) TWA: 5 mg/m³ (alveolar dust, respirable fraction)	BGBI.I Nr 51/2011	Austria
Titanium dioxide	13463-67-7	NDS: 10.0 mg/m³ (<2% free crystalline silica and containing no asbestos, inhalable fraction)	Dz.U. 2014 Nr. 0, 817 of June 6, 2014	Poland
Titanium dioxide	13463-67-7	TWA: 10 mg/m³ (total inhalable dust); TWA: 4 mg/m³ (respirable dust) STEL: 30 mg/m³ (calculated, total inhalable dust) STEL: 12 mg/m³ (calculated, respirable dust)	S.I. No619 of 2001	Ireland
Titanium dioxide	13463-67-7	TWA: 10 mg/m ³	Ministerial Decree of August 20, 1999	Italy
Titanium dioxide	13463-67-7	TWA: 10 mg/m ³ (inhalable fraction) TWA: 5 mg/m ³ (respirable fraction)	Presidental Decrees 90/1999 with add., 212/2006, OEL 127/2000	Greece
Titanium dioxide	13463-67-7	TWA: 10 mg/m ³	MB 14.3.2002 with addendum	Belgium
Titanium dioxide	13463-67-7	TWA: 10.0 mg/m ³ (respirable dust)	Regulation Nr. 13	Bulgaria
Titanium dioxide	13463-67-7	TWA: 10 mg/m ³ (total dust) TWA: 4 mg/m ³ (respirable dust)	HR-OEL	Croatia
Titanium dioxide	13463-67-7	10 mg/m3 MAC (dust capable of being retained in the lungs)	Reg. 311/73	Cyprus
Titanium dioxide	13463-67-7	TWA: 5 mg/m ³	Reg. No 293	Estonia
Titanium dioxide	13463-67-7	TWA: 10 mg/m ³	Regulation No325 with add.	Latvia
Titanium dioxide	13463-67-7	IPRD: 5 mg/m ³	Order V-824/A1-389	Lithuania
Titanium dioxide	13463-67-7	STEL: 15 mg/m ³ TWA: 10 mg/m ³	Governmental Decision 1218 from 06/09/2006, 1093 from 16/08/2006	Romania
Titanium dioxide	13463-67-7	LLV: 5 mg/m ³ (total dust)	AFS 2005:17	Sweden

8.2 Exposure controls Occupational exposure controls

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc colours "Sonnet"

Revision Date 19.01.2024 Version 1.0 EU / EN

Respiratory protection

With the formation of dust, use a dust mask/

Hand protection

Protect skin by using skin protective cream

Eye protection

Googales

Body protection

Wear suitable protective clothing. Wash contaminated clothing prior to re-use

General protection and hygiene measures

After work, wash hands and face.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form **Pastry** Colour Pigmented Odour Almost odourless Odor threshold No data available. Flash point No data available. Lower explosion limit No data available. Upper explosion limit No data available. Explosive properties Non-explosive. Flammability Not flammable. Oxidizing properties Non-oxidizing. Self-ignition temperature No data available. Melting point/range No data available.

pH : 8.5–10.0

Boiling point/boiling range : No data available.

Vapor pressure : No data available.

Density : 1.1 – 1.4 kg/l at 20 °C

Not applicable. **Bulk density** Water solubility Insoluble. Miscibility with water (15 °C) Non - miscible. Partition coefficient: n-octanol/water No data available. Solubility in other solvents No data available. Viscosity, dynamic No data available. Viscosity, kinematic No data available. Relative vapor density No data available. Evaporation rate No data available. Decomposition temperature No data available.

9.2 Other information

Ignition temperature : No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2 Chemical stability

Product is stable under normal storage conditions.

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



EU / EN

Acrilyc colours "Sonnet"

Revision Date 19.01.2024 Version 1.0

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, moisture, frost.

10.5 Incompatible materials

Strong acids oxidizing agents. Strong alkali

10.6 Hazardous decomposition products

No know hazardous decomposition products

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

CAS 1314-13-2 zinc oxide

oral	LD50	Rat	^	10000,000	mg/kg bw	-
inhalative	LC50	Rat	>	5,700	mg/l	(4h)

CAS 13463-67-7 titanium dioxide

oral	LD50	Rat	>	2000-25000	mg/kg bw	-
inhalative	LC50	Rat	>	3.4-6.8	mg/l air	(4h)

Acute toxicity

In case of inhalation

No data available

After swallowing

No data available

In case of skin contact

No data available

After eye contact

No data available

Practical experience

General remarks

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicological effects

CAS 1314-13-2 zinc oxide

EC50	Algae	0,170	mg/l	(72h)
CAS 13463-67-7	titanium dioxide			

EC50	Daphnia magna	>100.0	mg/l	(48h)
	(Water flea)			, ,

Aquatic toxicity
Water Hazard Class 2
WGK catalog number
General information
12.2 Persistence and degradability

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc colours "Sonnet"

Revision Date 19.01.2024 Version 1.0 EU / EN

Further details

Product is partially biodegradable.

Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)

Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information

Ecotoxicological effects

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Advice on disposal and : Disposal:

packaging In accordance with local and national regulations. Do not dispose of

waste into sewer. This material and its container must be disposed of in a safe way. Do not dispose of together with household waste. Waste codes should be assigned by the user based on the application for

which the product was used.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

14.2 UN proper shipping name

ADR, ADN No dangerous good in sense of these transport regulations.

IMDG, IATA

14.3 Transport hazard class(es)

ADR, ADN IMDG IATA

14.4 Packing group

14.5 Environmental hazards

Marine Pollutant - IMDG Marine Pollutant - ADN

14.6 Special precautions for user

Land transport Code: ADR/RID Kemmler-number Hazard label ADR Limited quantities

Contaminated packaging: Instructions Contaminated packaging: Special provisions Special provisions for packing together

Portable tanks: Instructions
Portable tanks: Special provisions

Tank coding

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc colours "Sonnet"

Revision Date 19.01.2024 Version 1.0 EU / EN

Tunnel restriction

Remarks

EQ

Special provisions

Inland waterway craft

Hazard label

Limited quantities

Transport permitted

Equipment necessary

Ventilation

Remarks

EQ

Special provisions

Sea transport

EmS

Special provisions

Limited quantities

Contaminated packaging: Instructions

Contaminated packaging: Special provisions I

BC: Instructions
IBC: Provisions
Tank instructions IMO
Tank instructions UN
Tank instructions

Special provisions

Special provisions

Stowage and segregation Properties and observations

Remarks

EQ

Air transport

Hazard

Passenger

Passenger LQ

Cargo

ERĞ

Remarks

EQ

Special Provisioning

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations

Europe

Contents of VOC [%] 0.0

Contents of VOC [g/L]

Further regulations, limitations and legal requirements

Germany

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc colours "Sonnet"

Revision Date 19.01.2024

Version 1.0

EU / EN

Storage class

Water Hazard Class 2

WGK catalog number

Incident regulation

Information on working limitations

Further regulations, limitations and legal requirements

Denmark

Further regulations, limitations and legal requirements

Hungary

Further regulations, limitations and legal requirements

Great Britain

Further regulations, limitations and legal requirements

Switzerland

Contents of VOC [%] 0.0

Further regulations, limitations and legal requirements

USA

Further regulations, limitations and legal requirements Federal Regulations State Regulations

Japan

Further regulations, limitations and legal requirements

Canada

Further regulations, limitations and legal requirements

SECTION 16: OTHER INFORMATION

Hazard statements:

H400 : Very toxic to aquatic life

H410 : Very toxic to aquatic life with long lasting effect

H351 Suspected of causing cancer < state route of exposure if it is conclusively proven that

no other routs of exposure>

Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc colours "Sonnet"	(= 0)			
	Revision Date 19.0	1.2024	Version 1.0	EU / EN
Additional information				
The information in this data sheet has It does not represent a guarantee for	been established to	our best knowledge and w	vas up-to-date at ti	me of revision.
it does not represent a guarantee for	and proportion of the p	ordade addonibod in torrino	or the logal warra	inty rogalations.