according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc primer for painting "Sonnet"

Revision Date 10.01.2024 Version 2.0 EU / EN

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 Product identifier

Trade name : Acrilyc primer for painting "Sonnet": white and black

Chemical name : Not applicable. CAS-No : Not applicable. EC-No : Not applicable.

Registration number : Not applicable (the substance is a mixture).

1.2 Relevant identified uses of the substance or mixture and uses advised against

ture

Use of the Substance/ Mix- : acrylic primer is designed for priming canvas, cardboard or wooden surfaces for a variety of artistic paints (oil, tempera, acrylic, gouache)

1.3 Details of the supplier of the safety data sheet

Company : Joint-Stock Company «Artistic paints plant «Nevskaya palitra»

68 Serdobolskaya str., Saint-Petersburg, Russia, 197342

: +7 (812) 337-11-43 **Telephone**

E-mail address : secretar@zxknp.spb.ru

Only representative : Not applicable. Telephone : Not applicable. E-mail address : Not applicable.

1.4 Emergency telephone number

Austria: Poison Control Centre, Tel.: (+43)-1-406-43-43; Belgium: Belgisch Antigifcentrum, Tel.: 070/245-245;

Bulgaria: Многопрофилна болница за активно лечение и спешна медицина "Н.И.Пирогов",

Tel.: (+359)-2-9154-409;

Croatia: Poison Control Centre, Tel: (+385)-1-23-48-342;

Czech Republic: Toxikologické informační středisko Telefon: (+420)-224-919-293,

(+420)-224-915-402;

Denmark: Poison Control Hotline, Tel.: (+45)-82-12-12-12;

Estonia: National emergency telephone number: 112 or Poison information telephone number: 16662, call-

ing from abroad: (+372)-626-93-90;

Finland: Poison Information Centre, Tel.: (09)-471-977 (direct) or (09)-4711;

France: ORFILA (INRS): (+33)-(0)-1-45-42-59-59;

Hungary: Az Egészségügyi Toxikológiai Tájékoztató Szolgálat elérhetőségei Tel: (+36)-80-201-199; Latvia: Valsts Toksikoloģijas centra Saindēšanās un zāļu informācijas centrs, Tel.: (+371)-67042473;

Lithuania: Sveikatos apsaugos ministerijos ekstremalių sveikatai situacijų centras,

Tel.: (+370)-5-236-20-52 or (+370)-687-53378; Malta: Mater Dei Hospital, Tel: 2545-0000;

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc primer for painting "Sonnet"

Revision Date 10.01.2024

Version 2.0

EU / EN

Portugal: Centro de Informação Antivenenos (Portuguese Poison Centre), Tel: 808-250-143; **Romania:** Biroul RSI Si Informare Toxicologica, Tel.: 021-318-36-06 (direct) (8.00 - 15.00);

Slovak Republic: National Toxicological Information Centre (+421)-2-5477-4166;

(+420)-224-915-402;

Sweden: 112.

Note: please, consult with your local/national competent authorities for the emergency number in your country.

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to REGULATION (EC) No 1272/2008

The product does not need to be classified in accordance with REGULATION (EC) No 1272/2008.

Not a hazardous mixture according to REGULATION (EC) No 1272/2008.

2.2 Label elements

Labeling according to REGULATION (EC) No 1272/2008

The product does not need to be labelled in accordance with REGULATION (EC) No 1272/2008.

Not a hazardous mixture according to REGULATION (EC) No 1272/2008.

2.3 Other hazards

No data available.

Does not contain MIT, BIT, CMIT (MIT).

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical characterization pigment copolymer water

CAS-Number

EINECS / ELINCS / NLP
EU index number
Customs tariff number
REACH registration No.
RTECS-no.
Hazchem-Code
CI-Number

3.2 Mixtures

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures
General information
In case of inhalation

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc primer for painting "Sonnet"

Revision Date 10.01.2024 Ve

Version 2.0 EU / EN

No special measures are required. Seek medical aid in case of troubles.

In case of skin contact

Remove residues with soap and water. Seek medical attention if irritation persists.

After eye contact

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention of irritation persists/

After swallowing

Seek medical treatment in case of troubles/

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable extinguishing media

Co-ordinate fire-fighting measures tot he fire surroundings.

Extinguishing media which must not be used for safety reasons

Full water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters

Additional information

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedure

Avoid contact with skin, eyes and clothing/

6.2 Environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

Take up mechanically. Wash spill area with plenty of water/

Additional information

6.4 Reference to other sections

Disposal: See Section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precaution against fire and explosion

7.2 Conditions for safe storage including any incompatibilities

Requirements for storerooms and containers

Keep container tightly closed.

Hints on joint storage

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc primer for painting "Sonnet"

Revision Date 10.01.2024 Version 2.0 EU / EN

Storage class

Storage temperature : >0°C

7.3 Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required

Hand protection

Protect skin by using skin protective cream

Eye protection

Safety glasses

Body protection

Wear suitable protective clothing. Take off contaminated clothing and wash it befor reuse.

General protection and hygiene measures

Wash hands before breaks and after work.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form : Pasty

White or black Colour Odour Characteristic. Odor threshold No data available. Flash point No data available. Lower explosion limit No data available. Upper explosion limit No data available. Explosive properties Non-explosive. Flammability Not flammable. Oxidizing properties Non-oxidizing. Self-ignition temperature No data available. Melting point/range No data available. 8.5 - 10.0

Boiling point/boiling range : No data available.

Vapor pressure : No data available.

Density : 1.0 – 1.1 kg/l at 20 °C

Bulk density : Not applicable

Not applicable. Bulk density Water solubility Insoluble. Miscibility with water (15 °C) Non - miscible. Partition coefficient: n-octanol/water No data available. Solubility in other solvents No data available. Viscosity, dynamic No data available. Viscosity, kinematic No data available. Relative vapor density No data available. Evaporation rate No data available. Decomposition temperature No data available.

4/9

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc primer for painting "Sonnet"

Revision Date 10.01.2024 Version 2.0 EU / EN

9.2 Other information

Ignition temperature : > 370 °C

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, moisture, low temperature.

10.5 Incompatible materials

Materials to avoid : Acids and bases.

10.6 Hazardous decomposition products

Hazardous decomposition : No data available.

products

Thermal decomposition : No data available.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

In case of inhalation No data available
After swallowing No data available
In case of skin contact No data available
After eye contact No data available
Practical experience

General remarks

Toxicological tests

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity
Aquatic toxicity

Water Hazard Class 1

WGK catalog number

General information

12.2 Persistence and degradability

Further details

Product is partially biodegradable.

Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)

Partition coefficient: n-octanol/water

12.4 Mobility in soil

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc primer for painting "Sonnet"

Revision Date 10.01.2024

Version 2.0

EU / EN

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information

Ecotoxicological effects

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

disposal and : Disposal: Advice on

packaging In accordance with local and national regulations. Do not dis-

pose of waste into sewer. This material and its container must be disposed of in a safe way. Do not dispose of together with household waste. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: TRANSPORT INFORMATION

Land transport ADR/RID

Non-dangerous goods

14.1. UN number

UN -

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Class Label

14.4. Packing group

Packing group Transport category 0

14.5. Environmental hazards

Marine transport IMDG/GGVSee

The product does not constitute a hazardous substance in sea transport.

14.1. UN number

UN -

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Class Subsidiary risk

14.4. Packing group

Packing group

14.5. Environmental hazards

Air transport ICAO/IATA

The product does not constitute a hazardous substance in air transport.

14.1. UN number

UN -

14.2. UN proper shipping name

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc primer for painting "Sonnet"

Revision Date 10.01.2024 Version 2.0 EU / EN

-

14.3. Transport hazard class(es)

Class

Subsidiary risk

14.4. Packing group

Packing group

14.5. Environmental hazards

-

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code no

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations

Europe

Contents of VOC [%] 0,0

Contents of VOC [g/L]

Further regulations, limitations and legal requirements

Germany

Storage class

Water Hazard Class

WGK catalog number

Incident regulation

Information on working limitations

Further regulations, limitations and legal requirements

Denmark

Further regulations, limitations and legal requirements

Hungary

Further regulations, limitations and legal requirements

Great Britain

Further regulations, limitations and legal requirements

Switzerland

Contents of VOC [%] 0.0

Further regulations, limitations and legal requirements

USA

Further regulations, limitations and legal requirements Federal Regulations State Regulations

Japan

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc primer for painting "Sonnet"

Revision Date 10.01.2024

Version 2.0

EU / EN

Further regulations, limitations and legal requirements

Canada

Further regulations, limitations and legal requirements

SECTION 16: OTHER INFORMATION

Hazard statements:

Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision.

It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations

according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008



Acrilyc primer for painting "Sonnet"

Revision Date 10.01.2024

Version 2.0

EU / EN

Appendix for material safety data sheet Acrilyc primer for painting "Sonnet"

Aclilyc primer White

Ingredient Name	CAS No./RN	% By Weight (% Active)
AXILAT DS910 (50% anionic emulsion of a copolymer in water)	141-32-2, 100-42-5, 79-41-4	40
Titanium dioxide	13463-67-7	15
Marble (calcium carbonate)	1317-65-3	15
Disperser Orotan 731 A ER (water-soluble polycarboxylate	No	1,5
Propan-1,2-diol	57-55-6	3
2-Aminoetanol	141-43-5	0,3
Loxanol® PL 5060	9064-13-5	2
Disperser Silco sperse HLD-8	68071-35-2, 115-70-8, 25322-68-3, 126-86-3	0,2
Biocide Microcare PENG	122-99-6, 70445-33-9	0,3
Acrysol ASE-60ER (27-29% aqueous solution)	25212-88-8, 7732-18-5	1.2
Water	7732-18-5	21.5

Aclilyc primer Black

CAS No./RN	% By Weight (% Active)
141-32-2, 100-42-5, 79-41-4	30
1333-86-4	10
1317-65-3	35
No	1,5
57-55-6	3
141-43-5	0,3
9064-13-5	2
68071-35-2, 115-70-8, 25322-68-3, 126-86-3	0,2
122-99-6, 70445-33-9	0,3
25212-88-8, 7732-18-5	1.2
7732-18-5	16.5
	141-32-2, 100-42-5, 79-41-4 1333-86-4 1317-65-3 No 57-55-6 141-43-5 9064-13-5 68071-35-2, 115-70-8, 25322-68-3, 126-86-3 122-99-6, 70445-33-9 25212-88-8, 7732-18-5