

Diluent for artists` acrylic colours "Sonnet" Revision Date 21.02.2024 Version 1.0 EU / EN SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING 1.1 Product identifier Trade name : Diluent for artists' acrylic colours "Sonnet" Chemical name : Not applicable. CAS-No : Not applicable. EC-No : Not applicable. : Not applicable (the substance is a mixture). Registration number 1.2 Relevant identified uses of the substance or mixture and uses advised against Use of the Substance/ Mix- : The diluent is intended for dilution of artists ' acrylic paints ture 1.3 Details of the supplier of the safety data sheet Company : Joint-Stock Company «Artistic paints plant «Nevskava palitra» 68 Serdobolskaya str., Saint-Petersburg, Russia, 197342 Telephone : +7 (812) 337-11-43 E-mail address : secretar@zxknp.spb.ru Only representative : Not applicable. Telephone : Not applicable. E-mail address : Not applicable. 1.4 Emergency telephone number Austria: Poison Control Centre, Tel.: (+43)-1-406-43-43; Belgium: Belgisch Antigifcentrum, Tel.: 070/245-245; Bulgaria: Многопрофилна болница за активно лечение и спешна медицина "Н.И.Пирогов", Tel.: (+359)-2-9154-409; Croatia: Poison Control Centre, Tel: (+385)-1-23-48-342; Czech Republic: Toxikologické informační středisko Telefon: (+420)-224-919-293, (+420)-224-915-402; Denmark: Poison Control Hotline, Tel.: (+45)-82-12-12:12; Estonia: National emergency telephone number: 112 or Poison information telephone number: 16662, calling from abroad: (+372)-626-93-90; Finland: Poison Information Centre, Tel.: (09)-471-977 (direct) or (09)-4711; France: ORFILA (INRS): (+33)-(0)-1-45-42-59-59; Hungary: Az Egészségügyi Toxikológiai Tájékoztató Szolgálat elérhetőségei Tel: (+36)-80-201-199; Latvia: Valsts Toksikoloģijas centra Saindēšanās un zāļu informācijas centrs, Tel.: (+371)-67042473; Lithuania: Sveikatos apsaugos ministerijos ekstremalių sveikatai situacijų centras, Tel.: (+370)-5-236-20-52 or (+370)-687-53378; Malta: Mater Dei Hospital, Tel: 2545-0000; Portugal: Centro de Informação Antivenenos (Portuguese Poison Centre), Tel: 808-250-143; Romania: Biroul RSI Si Informare Toxicologica, Tel.: 021-318-36-06 (direct) (8.00 - 15.00); Slovak Republic: National Toxicological Information Centre (+421)-2-5477-4166;

SAFETY DATA SHEET according to Regulation (EC) No 1907/2006, Regulation (EU) No 2015/830, Regulation (EC) No 1272/2008 Diluent for artists` acrylic colours "Sonnet"



Version 1.0 EU / EN

(+420)-224-915-402;

Sweden: 112.

Note: please, consult with your local/national competent authorities for the emergency number in your country.

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to REGULATION (EC) No 1272/2008

The product does not need to be classified in accordance with REGULATION (EC) No 1272/2008. Not a hazardous mixture according to REGULATION (EC) No 1272/2008.

2.2 Label elements

Labeling according to REGULATION (EC) No 1272/2008

The product does not need to be labelled in accordance with REGULATION (EC) No 1272/2008. Not a hazardous mixture according to REGULATION (EC) No 1272/2008.

2.3 Other hazards

No special hazards have to be mentioned.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

The product is a mixture within the meaning of the REACH Regulation (1907/2006/EC). Description: The diluent is an aqueous acrylic dispersion with targeted additives.

Revision Date 21.02.2024

Dangerous components:

Chemical Name	Concen- tration, wt. %	CAS-No	EC-No / Regis- tration number	Index-No	CLP
Diethylene glycol butyl ether	2.0	112-34-5	203-961-6	603-096-00-8	Eye Irrit. 2, H319

For the full text of the H-phrases mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Skin contact	 If breathed in move person into fresh air. Keep patient warm and at rest. In case of contact flush skin with soap and plenty of water. Seek medical advice if irritation develops and persists.
Eye contact	: Protect unharmed eye. If easy to do, remove contact lens, if worn. In the case of contact with eyes, rinse with plenty of water. Seek medical advice if irritation persists.
Ingestion	: Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms take medical treatment.
4.2 Most important sympt	oms and effects, both acute and delayed

Until now no symptoms known so far.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



Diluent for artists` acrylic colours "Sonnet" Revision Date 21.02.2024 Version 1.0 EU / EN SECTION 5: FIRE-FIGHTING MEASURES 5.1 Extinguishing Media Suitable extinguishing media : Use carbon dioxide, dry chemical, foam or carbon dioxide type fire extinguisher, sand, water spray. : Not applicable. Unsuitable extinguishing media 5.2 Special hazards arising from the substance or mixture Specific hazards : In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); dense black smoke 5.3 Advice fire fighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. Use personal for fire-fighters protective equipment. Further information : Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. SECTION 6: ACCIDENTAL RELEASE MEASURES 6.1 Personal precautions, protective equipment and emergency procedure Refer to protective measures listed in sections 7 and 8. Use personal protective equipment. Ensure adequate ventilation, especially in confined areas. Evacuate personnel to safe areas. Avoid contact with skin and eyes. 6.2 Environmental precautions Prevent further spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Avoid release to the environment. 6.3 Methods and materials for containment and cleaning up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatoma-ceous earth, vermiculite) and place in container for disposal according to local or national regulations. Pick up and transfer to properly labelled containers. Clean contaminated surface thoroughly. 6.4 Reference to other sections See Section 7, 8, 11, 12 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Avoid formation of aerosol. Provide appropriate exhaust ventilation at places where aerosol is formed.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.

7.2 Conditions for safe storage including any incompatibilities

NEVSKAYA 🛞 PALITRA

Requirements for storage : Electrical installations/working materials must comply with the local applied technological safety standards. Storage rooms in which filling operations take place must have a conducting floor. Store in accordance with national regulation Advice on common storage : Store away from oxidising agents, from strongly alkaline and strongly acid materials. Storage period : No data available. Storage temperature : between 5 and 35 °C in a dry, well ventilated place away from sources of heat and direct sunlight. 7.3 Specific end use(s) Paint diluent CTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 Control parameters No data available. 8.2 Exposure controls Engineering measures Provide sufficient air exchange and/or exhaust in work rooms. Highly effective exhaust ventilation. Personal protective equipment : Respiratory protection : Material : Safety gloves (for workers). Remarks : Use respirator FFP2 (for workers). Remarks : Choose gloves to protect hands against chemicals depending on the creation and quantify of the hazardous substance and specific to place work. For special applications, we recommend clarifying the resistance orther, special applications, we recommend clarifying the resistance ortheresis of the aforem		colours "Sonnet"Revision Date 21.02.2024Version 1.0EU / EN
materials. materials. Storage period : No data available. Storage temperature : between 5 and 35 °C in a dry, well ventilated place away from sources of heat and direct sunlight. 7.3 Specific end use(s) Paint diluent CTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 Control parameters No data available. 8.2 Exposure controls Engineering measures Provide sufficient air exchange and/or exhaust in work rooms. Highly effective exhaust ventilation. Personal protective equipment Respiratory protection : Respirator FFP2 (for workers). Remarks : Use respirators and components tested and approved under appropri government standards CEN (EU). Hand protection : Safety gloves (for workers). Remarks : Choose gloves to protect hands against chemicals depending on the co centration and quantity of the hazardous substance and specific to place work. For special applications, we recommend clarifying the resistance chemicals of the aforementioned protective gloves with the glove manuf turer. Eve protection : Safety glasses (for workers). Remarks : Use equipment for eye protection tested and approved under appropri government standards such as EN 166 (EU). Skin and body protection : Protected shoes and clothes (for workers). <th></th> <th> Electrical installations/working materials must comply with the local applie technological safety standards. Storage rooms in which filling operations take place must have a conducting floor. Store in accordance with nation </th>		 Electrical installations/working materials must comply with the local applie technological safety standards. Storage rooms in which filling operations take place must have a conducting floor. Store in accordance with nation
Storage temperature : between 5 and 35 °C in a dry, well ventilated place away from sources of heat and direct sunlight. 7.3 Specific end use(s) Paint diluent CTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 Control parameters No data available. 8.2 Exposure controls Engineering measures Provide sufficient air exchange and/or exhaust in work rooms. Highly effective exhaust ventilation. Personal protective equipment; Respiratory protection : Respirator FFP2 (for workers). Remarks : Use respirators and components tested and approved under appropriagovernment standards CEN (EU). Hand protection : Safety gloves (for workers). Remarks : Choose gloves to protect hands against chemicals depending on the criteriation and quantity of the hazardous substance and specific to place work. For special applications, we recommend clarifying the resistance chemicals of the aforementioned protective gloves with the glove manufaturer. Eve protection : Safety glasses (for workers). Remarks : Use equipment for eye protection tested and approved under appropriagovernment standards such as EN 166 (EU). Skin and body protection : Protected shoes and clothes (for workers). Remarks : Choose body protection according to the amount and concentration of dangerous substance at the work place. <	Advice on common storage	
heat and direct sunlight. 7.3 Specific end use(s) Paint diluent CTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 Control parameters No data available. 8.2 Exposure controls Engineering measures Provide sufficient air exchange and/or exhaust in work rooms. Highly effective exhaust ventilation. Personal protective equipment Respiratory protection : Respirator FFP2 (for workers). Remarks : Use respirators and components tested and approved under appropriatiover government standards CEN (EU). Hand protection : Safety gloves (for workers). Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place work. For special applications, we recommend clarifying the resistance chemicals of the aforementioned protective gloves with the glove manufactor for experiments trandards such as EN 166 (EU). Skin and body protection : Safety glasses (for workers). Remarks : Use equipment for eye protection tested and approved under appropriat government standards such as EN 166 (EU). Skin and body protection : Protected shoes and clothes (for workers). Remarks : Choose body protection according to the amount and concentration of dangerous substance at the work place.	Storage period	: No data available.
Paint diluent CTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 Control parameters No data available. 8.2 Exposure controls Engineering measures Provide sufficient air exchange and/or exhaust in work rooms. Highly effective exhaust ventilation. Personal protective equipment Respiratory protection : Remarks : Use respirators and components tested and approved under appropriation government standards CEN (EU). Hand protection Material : Material : Safety gloves (for workers). Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place work. For special applications, we recommend clarifying the resistance chemicals of the aforementioned protective gloves with the glove manufacturer. Eye protection : Remarks : Use equipment for eye protection tested and approved under appropriat government standards such as EN 166 (EU). Skin and body protection : Protected shoes and clothes (for workers). Remarks : Choose body protection according to t	Storage temperature	
Paint diluent CTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1 Control parameters No data available. 8.2 Exposure controls Engineering measures Provide sufficient air exchange and/or exhaust in work rooms. Highly effective exhaust ventilation. Personal protective equipment Respiratory protection : Remarks : Use respirators and components tested and approved under appropriatiove government standards CEN (EU). Hand protection : Material : Safety gloves (for workers). Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place work. For special applications, we recommend clarifying the resistance chemicals of the aforementioned protective gloves with the glove manufacturer. Eye protection : Safety glasses (for workers). Remarks : Use equipment for eye protection tested and approved under appropriat government standards such as EN 166 (EU). Skin and body protection : Protected shoes and clothes (for workers). Remarks : Choose body protection according to the amount and concentration of dangerous substance at the work place. <td>7.3 Specific end use(s)</td> <td></td>	7.3 Specific end use(s)	
No data available. 8.2 Exposure controls Engineering measures Provide sufficient air exchange and/or exhaust in work rooms. Highly effective exhaust ventilation. Personal protective equipment Respiratory protection : Respirator FFP2 (for workers). Remarks : Use respirators and components tested and approved under appropriat government standards CEN (EU). Hand protection : Safety gloves (for workers). Remarks : Choose gloves to protect hands against chemicals depending on the cord centration and quantity of the hazardous substance and specific to place work. For special applications, we recommend clarifying the resistance chemicals of the aforementioned protective gloves with the glove manufaturer. Eye protection : Safety glasses (for workers). Remarks : Use equipment for eye protection tested and approved under appropriation government standards such as EN 166 (EU). Skin and body protection : Protected shoes and clothes (for workers). Remarks : Choose body protection according to the amount and concentration of the angerous substance at the work place.		
No data available. 8.2 Exposure controls Engineering measures Provide sufficient air exchange and/or exhaust in work rooms. Highly effective exhaust ventilation. Personal protective equipment Respiratory protection : Respirator FFP2 (for workers). Remarks : Use respirators and components tested and approved under appropriate government standards CEN (EU). Hand protection : Safety gloves (for workers). Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place work. For special applications, we recommend clarifying the resistance chemicals of the aforementioned protective gloves with the glove manufaturer. Eye protection : Safety glasses (for workers). Remarks : Use equipment for eye protection tested and approved under appropriation government standards such as EN 166 (EU). Skin and body protection : Protected shoes and clothes (for workers). Remarks : Choose body protection according to the amount and concentration of adagerous substance at the work place.	CTION 8: EXPOSURE COI	NTROLS/PERSONAL PROTECTION
8.2 Exposure controls Engineering measures Provide sufficient air exchange and/or exhaust in work rooms. Highly effective exhaust ventilation. Personal protective equipment Respiratory protection : Remarks : Use respirators and components tested and approved under appropriation over mement standards CEN (EU). Hand protection : Material : Remarks : Choose gloves (for workers). Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place work. For special applications, we recommend clarifying the resistance chemicals of the aforementioned protective gloves with the glove manufacture. Eye protection : Remarks : Use equipment for eye protection tested and approved under appropriations government standards such as EN 166 (EU). Skin and body protection : Protected shoes and clothes (for workers). Remarks : Choose body protection according to the amount and concentration of the angerous substance at the work place.	8.1 Control parameters	
Engineering measures Provide sufficient air exchange and/or exhaust in work rooms. Highly effective exhaust ventilation. Personal protective equipment Respiratory protection : Remarks : Use respirators and components tested and approved under appropriat government standards CEN (EU). Hand protection : Material : Remarks : Safety gloves (for workers). Remarks : Supportection : Safety glasses (for workers). Remarks : Safety glasses (for workers). Remarks : Safety glasses (for workers). Remarks : Supportection : Safety glasses (for workers). Remarks : Supportection : Safety glasses (for workers). Remarks : :	No data available.	
Engineering measures Provide sufficient air exchange and/or exhaust in work rooms. Highly effective exhaust ventilation. Personal protective equipment Respiratory protection : Remarks : Use respirators and components tested and approved under appropriation government standards CEN (EU). Hand protection Material : Remarks : Safety gloves (for workers). Remarks : Safety glasses (for workers). Remarks : Safety glasses (for workers). Remarks : Safety glasses (for workers). Remarks : Sup ordection : Safety glasses (for workers). Remarks : Safety glasses (for workers). Remarks : Sup ordection : <td>8.2 Exposure controls</td> <td></td>	8.2 Exposure controls	
Personal protective equipment Respirator FFP2 (for workers). Remarks : Use respirators and components tested and approved under appropriagovernment standards CEN (EU). Hand protection	Engineering measures	
Personal protective equipment Respirator FFP2 (for workers). Remarks : Use respirators and components tested and approved under appropriat government standards CEN (EU). Hand protection		ge and/or exhaust in work rooms. Highly effective exhaust ventilation.
Remarks : Use respirators and components tested and approved under appropriat government standards CEN (EU). Hand protection Material Material : Safety gloves (for workers). Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place work. For special applications, we recommend clarifying the resistance chemicals of the aforementioned protective gloves with the glove manufacturer. Eye protection : Safety glasses (for workers). Remarks : Use equipment for eye protection tested and approved under appropriat government standards such as EN 166 (EU). Skin and body protection : Protected shoes and clothes (for workers). Remarks : Choose body protection according to the amount and concentration of the dangerous substance at the work place.	Personal protective equipn	nent
Hand protection government standards CEN (EU). Hand protection Material Material : Safety gloves (for workers). Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place work. For special applications, we recommend clarifying the resistance chemicals of the aforementioned protective gloves with the glove manufacturer. Eye protection : Safety glasses (for workers). Remarks : Use equipment for eye protection tested and approved under appropriation government standards such as EN 166 (EU). Skin and body protection : Protected shoes and clothes (for workers). Remarks : Choose body protection according to the amount and concentration of the dangerous substance at the work place.	Respiratory protection	: Respirator FFP2 (for workers).
Material: Safety gloves (for workers).Remarks: Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place work. For special applications, we recommend clarifying the resistance chemicals of the aforementioned protective gloves with the glove manufacturer.Eye protection: Safety glasses (for workers).Remarks: Use equipment for eye protection tested and approved under appropriation government standards such as EN 166 (EU).Skin and body protection: Protected shoes and clothes (for workers).Remarks: Choose body protection according to the amount and concentration of the dangerous substance at the work place.	Remarks	
Remarks: Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place work. For special applications, we recommend clarifying the resistance chemicals of the aforementioned protective gloves with the glove manufacturer.Eye protection: Safety glasses (for workers).Remarks: Use equipment for eye protection tested and approved under appropriation government standards such as EN 166 (EU).Skin and body protection: Protected shoes and clothes (for workers).Remarks: Choose body protection according to the amount and concentration of the dangerous substance at the work place.	Hand protection	
centration and quantity of the hazardous substance and specific to place work. For special applications, we recommend clarifying the resistance chemicals of the aforementioned protective gloves with the glove manufa- turer.Eye protection: Safety glasses (for workers).Remarks: Use equipment for eye protection tested and approved under appropria government standards such as EN 166 (EU).Skin and body protection: Protected shoes and clothes (for workers).Remarks: Choose body protection according to the amount and concentration of t dangerous substance at the work place.	Material	: Safety gloves (for workers).
Remarks : Use equipment for eye protection tested and approved under appropria government standards such as EN 166 (EU). Skin and body protection : Protected shoes and clothes (for workers). Remarks : Choose body protection according to the amount and concentration of the dangerous substance at the work place.		
government standards such as EN 166 (EU). Skin and body protection : Protected shoes and clothes (for workers). Remarks : Choose body protection according to the amount and concentration of t dangerous substance at the work place.	Remarks	centration and quantity of the hazardous substance and specific to plac work. For special applications, we recommend clarifying the resistanc chemicals of the aforementioned protective gloves with the glove manu
Remarks : Choose body protection according to the amount and concentration of t dangerous substance at the work place.		centration and quantity of the hazardous substance and specific to plac work. For special applications, we recommend clarifying the resistanc chemicals of the aforementioned protective gloves with the glove manu turer.
dangerous substance at the work place.	Eye protection	 centration and quantity of the hazardous substance and specific to plac work. For special applications, we recommend clarifying the resistanc chemicals of the aforementioned protective gloves with the glove manu turer. Safety glasses (for workers). Use equipment for eye protection tested and approved under approp
<u>Hygiene measures</u> : Handle in accordance with good industrial hygiene and safety practice.	<u>Eye protection</u> Remarks	 centration and quantity of the hazardous substance and specific to plac work. For special applications, we recommend clarifying the resistanc chemicals of the aforementioned protective gloves with the glove manu turer. Safety glasses (for workers). Use equipment for eye protection tested and approved under approp government standards such as EN 166 (EU).
	<u>Eye protection</u> Remarks <u>Skin and body protection</u>	 centration and quantity of the hazardous substance and specific to plac work. For special applications, we recommend clarifying the resistanc chemicals of the aforementioned protective gloves with the glove manu turer. Safety glasses (for workers). Use equipment for eye protection tested and approved under approp government standards such as EN 166 (EU). Protected shoes and clothes (for workers). Choose body protection according to the amount and concentration of

uent for artists` acrylic colour Revision ['s "Sonr Date 21.02		Version 1.0	EU / EN
		trial hygiene praction of aerosol.	e.	
		o not eat, drink or s	moke	
		before breaks and a		IV.
		inated clothing befo		
Environmental exposure controls				
No data available.				
TION 9: PHYSICAL AND CHEMIC	CAL PRO	PERTIES		
9.1 Information on basic physical an	nd chemic	al properties		
Form	÷	suspension		
Colour Odour		whate Characteristic.		
Odou odou odou odou odou odou odou odou	:	No data available.		
Flash point		No data available.		
Lower explosion limit	:	No data available.		
Upper explosion limit		No data available.		
Explosive properties		Non-explosive.		
Flammability		Not flammable.		
Oxidizing properties		Non-oxidizing.		
Self-ignition temperature		No data available.		
Melting point/range		No data available.		
oH		8.5-10.0		
Boiling point/boiling range	:	No data available		
Vapor pressure	:	No data available.	-	
Density		1.1-1.2 kg/l at 20 °C	C	
Bulk density	:	Not applicable.	-	
Water solubility		Insoluble.		
Miscibility with water (15 °C)	:	Non - miscible.		
Partition coefficient: n-octanol/water	:	No data available.		
Solubility in other solvents	:	No data available.		
Viscosity, dynamic	:	No data available.		
Viscosity, kinematic	:	No data available.		
Relative vapor density	:	No data available.		
Evaporation rate	:	No data available.		
Decomposition temperature	:	No data available.		
9.2 Other information				
gnition temperature	:	No data available.		
TION 10: STABILITY AND REACT	ΤΙVITY			
10.1 Reactivity				
Under normal conditions of storage and	d use, the	thinner is chemical	ly stable	
10.2 Chemical stability				
Stable under recommended storage co	onditions a	ot 5-35 ⁰ C		



CTION 11: TOXICOLOGICAL INFO 11.1 Information on toxicological eff Acute toxicity Acute oral toxicity	lucts pon oxides. nformation available RMATION
Heat, moisture, low temperature. 10.5 Incompatible materials Materials to avoid : acid 10.6 Hazardous decomposition proc Hazardous decomposition : Carl products Thermal decomposition : No i CTION 11: TOXICOLOGICAL INFO 11.1 Information on toxicological eff Acute toxicity <u>Acute oral toxicity</u>	lucts pon oxides. nformation available RMATION
10.5 Incompatible materials Materials to avoid : acid 10.6 Hazardous decomposition products Hazardous decomposition Thermal decomposition : No i CTION 11: TOXICOLOGICAL INFO 11.1 Information on toxicological eff Acute toxicity Acute oral toxicity	lucts pon oxides. nformation available RMATION
10.5 Incompatible materials Materials to avoid : acid 10.6 Hazardous decomposition products Hazardous decomposition Thermal decomposition : No i CTION 11: TOXICOLOGICAL INFO 11.1 Information on toxicological eff Acute toxicity Acute oral toxicity	lucts pon oxides. nformation available RMATION
Materials to avoid : acid 10.6 Hazardous decomposition prod Hazardous decomposition : Carl products Thermal decomposition : No i CTION 11: TOXICOLOGICAL INFO 11.1 Information on toxicological eff Acute toxicity Acute oral toxicity	lucts pon oxides. nformation available RMATION
Hazardous decomposition : Carl products Thermal decomposition : No i CTION 11: TOXICOLOGICAL INFO 11.1 Information on toxicological eff Acute toxicity Acute oral toxicity	oon oxides. nformation available RMATION
Hazardous decomposition : Carl products Thermal decomposition : No i CTION 11: TOXICOLOGICAL INFO 11.1 Information on toxicological eff Acute toxicity Acute oral toxicity	oon oxides. nformation available RMATION
CTION 11: TOXICOLOGICAL INFO 11.1 Information on toxicological eff Acute toxicity Acute oral toxicity	RMATION
Acute toxicity Acute oral toxicity	
Acute toxicity Acute oral toxicity	ects
Acute oral toxicity	
I D5	
Diethylene glycol butyl etherLD5 LD50 RemAcute inhalation toxicityNo of	0 oral/rat: > 5660 mg/kg 0 dermal/rabbit: > 2700 mg/kg 0 dermal/ rabbit - 4120 mg/kg narks: Prolonged skin contact may cause skin irritation and/or dermat lata available. data available.
	lata available.
Skin corrosion / irritation	
Skin irritation : No i	rritating.
Serious eye damage / eye irritation	
Eye irritation : No i	rritating.
Sensitization of the respiratory / ski	1
Respiratory sensitization : Non	skin sensitizing. respiratory sensitizing.
Mutagenicity No mutagenic effect.	
Carcinogenicity	
No carcinogenic effect.	
Reproductive toxicity	
No reproductive effect.	
Teratogenicity	



	Revision Date 21.02.2024	Version 1.0	EU / EN
Specific target organ toxicity	v after single exposure		
	e classification criteria are not	t met	
	y after repeated exposure (sub		
Not applicable.	,	,	
Aspiration hazard			
Not applicable.			
Neurological effects			
No data available.			
Toxicology, metabolism, dis	tribution		
No data available.			
TION 12: ECOLOGICAL IN	FORMATION		
12.1 Toxicity			
Diethylene glycol butyl ethe	r o data available		
Dietryrene grycor baryreine			
Toxicity to fish:	: LC50 - Lepomis macrochirus		
	LC0 - Leuciscus idus (Golde	n offe) - > 1 mg/l - 48 n	
Toxicity to daphnia and other	EC50 - Daphnia magna (Wa	ater flea) - > 100 mg/l - 4	18 h
aquatic invertebrates:			
Toxicity to aquatic plants:	IC50 - Desmodesmus subspica	itus (green algae) - > 100	mg/l - 24 h
Long-term study fish/daphnia	LC50 - Pseudomonas putida - 1	1.17 mg/l - 16 h	
and other aquatic inverte- brates/aquatic plants:			
12.2 Persistence and degrad	lability		
Biodegradability	: No data available.		
	Remarks: According to the r		radability this produc
	considered as being readily	biodegradable.	
12.3 Bioaccumulation poten	tial		
Does not bioaccumulate.			
12.4 Mobility in soil			
No data available.			
12.5 Results of PBT assess	nent and vPvB		
Not PBT and no vPvB.			
12.6 Other adverse effects	T I	llowed to enter drains.	water courses or the
12.6 Other adverse effects	: The product should not be a	, -	
	: The product should not be a		

SAFETY DATA SHEET	07/0000 Damila	NEVCKAVA	OK PALITRA
according to Regulation (EC) No 19 tion (EU) No 2015/830, Regulation (NEVORAIA	I LI KA
Diluent for artists` acrylic colo			
	on Date 21.02.2024	Version 1.0	EU / EN
			20,20
13.1 Waste treatment methods			
Advice on disposal and : D	Disposal:		
packaging li ii v b	n accordance with local an nto sewer. This material a vay. Do not dispose of toge be assigned by the user bas used.	nd its container must be other with household was	disposed of in a safe te. Waste codes should
SECTION 14: TRANSPORT INFOR	MATION		
Land transport ADR/RID			
Non-dangerous goods 14.1. UN number			
UN - 14.2. UN proper shipping name	•		
- 14.3. Transport hazard class(es	3)		
Class	-		
Label	-		
14.4. Packing group			
Packing group	-		
Transport category	0		
14.5. Environmental hazards			
- Marine transport IMDG/GGVSe The product does not constitute a 14.1. UN number UN - 14.2. UN proper shipping name	a hazardous substance in s	ea transport.	
14.3. Transport hazard class(es Class	-		
Subsidiary risk	-		
14.4. Packing group			
Packing group	-		
14.5. Environmental hazards			
no			
Air transport ICAO/IATA			
The product does not constitute a	a hazardous substance in a	ir transport.	
14.1. UN number			
UN -			
14.2. UN proper shipping name	}		
- 14.3. Transport hazard class(es Class	\$)		
Subsidiary risk	-		
14.4. Packing group			
Packing group	-		
14.5. Environmental hazards			
- Information for all modes of trar 14.6. Special precautions for use			
	8.40		



tion (EU) No 2015/830, Regulation (EC) No 1272/2008		
Diluent for artists` acrylic colours "Sonnet"		
Revision Date 21.02.2024	Version 1.0	EU / EN
Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in t Other information 14.7. Transport in bulk according to Annex II of MARPOL73/7 no	the event of an accid	
SECTION 15: REGULATORY INFORMATION		
15.1 Safety, health and environmental regulations/ legislation specific for VOC VOC (EU) 0,0 % 0,0 g/l	or the substance or m	nixture
Other information The product does not contain substances of very high concern (SVHC). Other information All components are contained in the TSCA inventory or exempted. All components are contained in the PICCS inventory. All components are contained in the PICCS inventory. All components are contained in the PICCS inventory. All components are contained in the IECS inventory. All components are contained in the ECL inventory. Scomponents are contained in the ECL inventory. Statements is afety assessment For this preparation a chemical safety assessment has not been carried SECTION 16: OTHER INFORMATION R-phrases listed in Chapter 3 Hazard statements: Hazard statements: Hazard statements: Belevant changes compared with the previous version of the safety data This information is based on our present state of knowledge. However, tee for any specific product properties and shall not establish a legally v The information in this Safet	a sheet are marked w it should not constitu ralid relationship. of knowledge and cu product and should cular applications. Section 1 without fir s control, the user is <i>i</i> th.	te a guaran- irrent legis- not be con- st referring responsible